



# SELLWOOD-MORELAND MAIN STREET DESIGN GUIDELINES

A SUPPLEMENT TO THE PDX MAIN STREET DESIGN GUIDELINES

FEBRUARY 2020 DRAFT



# Design Guidelines Contents

## Introduction

Applicability	3
Vision & Context	4
How to Use the Guidelines	5
Sellwood-Moreland: “Guidelines at a Glance”	6-7

## Character & Context

Architectural Context	8
Inspiration vs. Replication	9
Contemporary Modern Main Street Buildings	10
Contemporary Traditional Main Street Buildings	11
A Balance of Diversity & Harmony	12
Design for Affordability & Context	13

## Building Form & Mass

Building Form	14
Upper Level Stepbacks	15
Chamfered Corners (New + Old)	16

## Building Facade Design

Facade Composition	17
Base, Middle, Top Examples	18
Storefront Design	19
Window Patterns	20
Treat Blank Walls	21
Signage	22

## Streetscape Amenities

Main Street Design Patterns	24
-----------------------------	----

## Appendices

History	26
Creating the Guidelines	27
Special Buildings in Sellwood-Moreland	28-31



## Acknowledgements

**SMILE Main Street Team:** Vikki DeGaa, Miriam Erb, Shari Gilevich and Karen Kelly (also a member of Sellwood-Moreland Business Association)

**SMILE Land Use Committee:** David Schoellhamer, Bob Burkholder, Rocky Johnson, Francisco Salgado, Kirsten Leising, and the SMILE Main Street Team members above

**Volunteer help provided by:** Eileen Fitzsimons, Drew Beard, Eileen O’Keefe, Susie Cunningham and Jeffrey Merrick

### Design & Planning Consultants

Laurence Qamar, Qamar Architecture & Town Planning  
Heather Flint Chatto, Forage Design & PDX Main Streets  
Linda Nettekoven, PDX Main Streets

### Photography, Architectural Renderings & Graphic Design

Michael Molinaro, Laurence Qamar, Heather Flint Chatto

# Introduction

**Purpose** | The purpose of the Sellwood-Moreland Design Guidelines is to clarify community design goals and priorities and to help guide the design of future development along the core main street areas of Sellwood-Moreland with sensitivity to local character, history, and local needs. See PDX Main Streets Guidelines for more details about the design elements discussed on pages 14 through 24.

**Background** | In January of 2019, the Sellwood-Moreland Improvement League (SMILE) adopted the [Division-Hawthorne Main Street Design Guidelines](#) (also known as the PDX Main Streets Design Guidelines – available at [pdxmainstreets.org](#)) for application to Sellwood-Moreland's core commercial Main Streets. These voluntary design guidelines were created to foster better compatibility with local context and provide helpful community tools for new development. To customize these guidelines for local use, SMILE contracted with Qamar Architecture and Town Planning, and Forage Design to produce a new, condensed and updated set of guidelines customized to the Sellwood-Moreland main streets. Over the course of nine months, they conducted a series of public meetings, community walks and extensive research to engage the community in this process. See page 27 for a full description of the community process to create the guidelines.

**Goals** | A design priority consistently mentioned throughout the process by the community was to retain the unique local character and livability of the area while the neighborhood evolves with new infill and redevelopment. Other key goals include affordable housing, sustainability, accessibility, increased pedestrian amenities, streetscape improvements, placemaking and public gathering places, and support for local businesses and neighborhood services. This document provides design support to clarify a shared vision for Sellwood-Moreland as a growing community with valued historic main streets.

## Applicability

**Where do the guidelines apply?** The focus of the guidelines are the core main street areas and in the gateway areas with special character shown on the map along SE Milwaukie Avenue and 17<sup>th</sup> Avenues, SE 13th Avenue, Tacoma Street, and SE Bybee Boulevard. These areas are commercial, multi-use and multi-dwelling zones.

**Who should use the Design Guidelines?** Key users of the guidelines should be architects, designers, developers, city staff and decision-makers, community members, business associations and neighborhood associations. However, many groups can benefit from using the design guidelines to help understand the community's goals, priorities and preferences for new development, long-term planning, and community place-making.

*Above: Historic building that exhibits main street design patterns.*

*Lower Image: Sellwood-Moreland Main Streets Design Guidelines Project Focus Areas*





## Vision for Sellwood-Moreland

As Sellwood-Moreland grows, the community aims to retain its local, unique and special Main Street flavor and historic architecture while adding sensitively designed new buildings that contribute to the mix of uses and housing types as well as a diversity of residents.

These structures would fit with the character of the neighborhood architecture, blending in to keep common elements of the older historic buildings a strong defining and unifying factor.

New buildings are encouraged to include elements of the streetcar era but can introduce other elements that encourage architectural evolution. Street improvements will add to the array of pedestrian amenities of benches, bike racks, lighting, trash and recycling receptacles, abundant landscaping, and art.

As new infill buildings are created there is also a focus on creating public gathering spaces with plazas and spaces for people to sit and enjoy the area. The neighborhood will retain a friendly atmosphere and neighborhood services, including a central farmers market and well-defined gateways.

The buildings along the main streets will increasingly follow the historic precedents and “patterns” of the area as well as support a pedestrian-scaled network of public spaces. Mixed-use main street buildings are well proportioned and scaled to create a comfortable and inviting street-places that feel like outdoor rooms.

The intent is to both add density and create aesthetic harmony that preserves the authenticity of the wonderful place that is Sellwood-Moreland.

## Context

Sellwood-Moreland is a walkable, bikeable neighborhood with main street centers that are active public places comprised of lively eateries spilling onto broad sidewalks and local services like hardware stores, banks, grocers, and antique stores. These main streets are all within a short, safe and convenient walk of most homes throughout the community. Likewise, natural and recreational parklands abound around many of the edges of Sellwood-Moreland from Oaks Bottom in the northwest, Sellwood Park to the west, and Westmoreland Park to the east.

Sellwood-Moreland is an ideal pedestrian-scaled community, in part due to its legacy as a streetcar village.<sup>1</sup> Notably, this area featured the nation’s first electric interurban streetcar carrying passengers and freight between Portland and Oregon City, and Sellwood was a main link along that route. The neighborhoods built around those rail stops became a foundation of the walkable communities we have across Portland. Today, these neighborhoods are well-served by bike, bus and light rail transit accessible along many of their main streets.

<sup>1</sup>See the History section (page 26) and the 1999 Sellwood-Moreland Historic Context Report: [www.oregon.gov/oprd/HCD/OHC/docs/multnomah\\_portland\\_sellwood\\_moreland\\_historiccontext.pdf](http://www.oregon.gov/oprd/HCD/OHC/docs/multnomah_portland_sellwood_moreland_historiccontext.pdf)

# How to Use the Guidelines

This document is a complementary local reference and supplement to the PDX Main Streets Design Guidelines. It provides local examples and design priorities to what is an overarching design guidelines resource. Where there is an asterisk (\*), this indicates there is more content to reference on a topic. For these sections, please See PDX Main Streets Guidelines for more details about the design elements discussed on pages 13 through 22. Key recommendations

1. **Relate to Neighborhood Patterns** (see illustrations throughout the document and the “Pattern Guide” summary of Encouraged Main Street Design and Building Form on pages 6-7 as well as the patterns on page 8). Buildings that draw from these examples help reinforce the existing and desired future character of the area and will likely gain greater community support and a smoother process of review.
2. **Review the PDX Main Streets Design Guidelines.** The image at right is the overview of main street design patterns. This key page and the following pages are an at-a-glance guide to priorities for main street buildings. The PDX Main Streets Guidelines (also known as Division-Hawthorne Design Guidelines) provide more detail to the Sellwood-Moreland Supplement and have more strategies for design approaches.
3. **Refer to the List of Special Buildings** at the back of these guidelines for a sense of the foundational architecture of the area. If a building or property is on this list, it is important to consider that there may be additional goals for these sites established by the community.
4. **Provide a Context Elevation** (examples below and right) to show how a new development will relate within the existing neighborhood context and to consider alignment or inclusion of nearby positive design patterns to integrate for design compatibility with local character.
5. **Engage the neighborhood as a partner early in the process.** Sharing conceptual plans early in the process at a Neighborhood Association Land Use meeting can garner early input that can help create a better outcome and smoother process for all.



Qamar & Associates Inc. Building Scale Comparisons - Sellwood / Moreland, SE 13th Avenue between Tacoma St. and Spokane St.

The City's building height allowances are taller than all the existing buildings along Sellwood-Moreland's Main Streets...by at least double the height. Building heights may vary but proportions and scale of windows, doors and cornices should have a more harmonious and consistent design pattern. (Illustration by L. Qamar)


# SELLWOOD-MORELAND “GUIDELINES AT A GLANCE”

## *Encouraged Mixed Use Design Patterns + Building Form*

- **Upper Level Stepbacks** (maintain density and minimize scale contrasts)
- **Base-Middle-Top**  
Articulated rooflines  
Horizontal bands/cornices  
Storefronts
- **Main Street Storefronts**  
Recessed Entries, raised sills, display windows with clerestory windows above
- **Cost Efficient Design**  
Stacked floorplates (no cantilevers)  
Vertically + horizontally aligned windows/doors  
Avoid arbitrary and abstract Form articulation
- **Windows**  
Human-scale proportioning  
Tall vertical inset windows  
Divided panes in larger windows  
Symmetrical window patterns  
Avoid excessive material framing
- **Harmonious Design on All Sides**  
No blank walls, consistent materials
- **Corner Treatments**  
Chamfers, Entries, Arches, Balconies,  
Simple Ornament or Artistic Details
- **Balconies + Bays**



Images above and below demonstrate main street patterns, harmonious design on all sides, and tall vertical inset windows that reflect human scale proportions. (Illustrations by Laurence Qamar) These illustrations are intended to show all the features described on this page. It is not expected that all features would be included in one new development.




# SELLWOOD-MORELAND “GUIDELINES AT A GLANCE”

## *Encouraged Mixed Use Design Patterns + Building Form*

- **Building Massing/Building Form**

Divide large building projects into smaller multiple buildings



- **Create Mid-block Passthroughs, Courtyards + Gathering Spaces**

where possible

- **Relate to Neighborhood Patterns**

Minimize appearance of scale contrasts with newer larger buildings through main street base-middle-top, storefront design, etc

- **Materials & Craftsmanship**

Limit number of materials and use natural materials (brick, stucco, concrete, wood, clapboard)

- **Arches at Entries, Upper Windows & Ground Level**

- **Streetscape Design & Pedestrian Amenities**

Landscaping, street seats and benches, public art, bike racks, tree grates, sidewalk awnings.

- **Pedestrian Oriented Signage**

Neon and Portland marquee blade signs

- **Facade Lighting**

- **Utilities Screening**



*These illustrations are intended to show all the features described on this page. It is not expected that all features would be included in one new development.*

# Architectural Context

Sellwood-Moreland's mixed-use commercial districts have a distinctive architectural character comprised primarily of one- and two-story streetcar-era buildings with similar storefront patterns and one or more stories of upper level offices and apartments in places.

**Architectural “patterns”** and details, found commonly in main street buildings, are illustrated in the images on the right and on pages 6-7, including:

- Base-middle-top pattern
- Storefront display windows with clerestory windows above and raised sills below
- Chamfered corner entries
- Arched entries and windows
- Vertically proportioned upper story windows
- Recessed entries
- Pedestrian-oriented signage in distinctive fonts and shapes (e.g., blade signs)
- Articulated rooflines
- Materials in brick, wood, stone and stucco
- Awnings that provide rain protection
- Cornices, eaves, and brick corbeling that cap the buildings and serve as relatively inexpensive and artful ornament

These common main street patterns are foundational to our city and Sellwood-Moreland's commercial core, thus attention to these patterns help new building fit with context when they are integrated well. The beauty of these patterns is that they can take many forms from a variety of time periods and cultural expressions adding diversity to the street in many architectural styles found in Sellwood-Moreland including:

- |                        |                                     |
|------------------------|-------------------------------------|
| • Streetcar Commercial | • Spanish-Eclectic                  |
| • Art Deco             | • Mediterranean                     |
| • Gothic               | • Victorian                         |
| • Prairie              | • Tudor                             |
| • Mission              | • Streamline Moderne                |
| • Western Storefront   | • Mixed-use 21st Century Commercial |



This long list of styles, as well as the diverse images on this page, and throughout the document, demonstrate there are many architectural approaches to main street design. Thus, **style is not a foundational issue, but relating to building form and pattern are key priorities for creating good contextual design.** An example the neighborhood refers to often is the library, which features main street architecture and upper stepbacks to keep in scale and minimize building bulk.

# Architectural Design: Inspiration vs. Replication

Great urban main streets and neighborhoods have a balance between similar (or repeated) *building types* and *patterns*, as well as varied (or unique) *building styles* and characteristics.

- **Building Types** are distinguished by their basic form, site configuration, and scale, but not their specific architectural style, color, or even precise use....<sup>3,4</sup> Examples of common building type categories found on main streets include commercial and residential buildings such as row houses, courtyard buildings, mixed-use storefronts (see #3 below), single family houses (often converted to commercial uses), small-medium apartment houses, etc.
- **Building Patterns** refer to the proportions, scales and rhythms of the elements composing the building exterior including roof shapes, windows, horizontal bands, recessed entries, etc. Building patterns for Sellwood-Moreland main streets are listed on previous pages.
- **Building Style** in this document refers to the overlay of a fashion of building design, usually with uniquely regional applications of applied ornament on top of fundamental building types and design patterns. Like the local examples on this page and throughout the document, the buildings along a main street can vary in material, style, and detail while still having similar building types and patterns.

The result of this balance of common building types and patterns along with varied styles and materials create places that have a harmonious marriage of diversity and unity. **A consistent architectural style is not required for a good main street, but it can be an inspiration.** New buildings inspired by Sellwood-Moreland's historic building patterns is encouraged, but that does not imply a style preference. No particular style is required, however adhering to these main street mixed-use building patterns is strongly encouraged.

<sup>3,4</sup> Building Typology, Wikipedia, citation notes 0-2, 1-3.





## Contemporary Modern Main Street Buildings

Examples in Portland:

1. 7970 SE 13th Ave.
2. 939 SE Division St.
3. 1106-1145 SE Lincoln Street
4. 1120 SE Madison St.
5. 1301 NW 23rd Ave.
6. 1949 SE Division St.

# Contemporary Traditional Main Street Buildings

Examples in Portland:

1. 777 NW 19th Avenue
2. 479 SW 18th Avenue
3. 221 SW Naito Parkway
4. 1725 SE Tacoma
5. 1142 SW Market Street
6. 1930 NE Alberta Street
7. 550 NW 19th Avenue



# A Balance of Diversity & Harmony

## DESIGN GUIDELINES:


- **Relate to neighborhood patterns** that draw from those in the district to maintain compatibility and context, while allowing for a diversity of architectural styles and interpretations and maintaining room for innovation. (Refer to pages 6-7 and Architectural Context Patterns, page 8)
- **Encourage a diversity of housing** types, sizes and affordability levels while maintaining consistent human scale, proportion and rhythm.

**PURPOSE:** Encourage new and old main street buildings to share similar building patterns (e.g. storefronts, base-middle-top, etc.), but not necessarily identical proportions, scale and features, so that new developments can express both their own unique identifies while being in harmony with their neighbors.



*Above: A newer 21st century example on the right side above has main street patterns with a different style still uses architectural design approaches of common features as well relative proportions that foster harmony and diversity. (Photo by M. Molinaro)*

*Below: A variety of housing types and scales illustrate design features shown on pages 6 and 7 (Illustration by L. Qamar)*



Corner three story residential with retail and mezzanine, 50' wide

Two and a half live/work townhouses, 25' wide


Four story apartments over retail, 50' wide

One story tall retail with roof terrace 50' wide

# Design for Affordability & Context


**DESIGN GUIDELINE:** Use simple and compact building form and massing, stack unit plans and floor plates, align window and door openings within walls, and avoid cantilevering large structural elements.

**PURPOSE:** Artistry at the small scale of applied craftsmanship and ornament on a simple building form is more cost efficient than sculptural complexity in the overall building form. For example, “large cantilevers lead to significant amount of additional costs as does excessive form articulation and the now common use of large, arbitrarily conceived “overbuild” elements on the building facades.”<sup>5</sup> Building designs that tend to be more conventional/traditional in nature are more prone to be affordable to construct and also to operate and maintain over the long term. Common sense design practices that are often considered “traditional”, such as those noted above and exemplified in a variety of scales below (e.g. aligning windows and stacking building elements), are often more affordable.<sup>5</sup>



***A Universal Mixed-use Building Type can scale up or down from small neighborhood main streets to large city centers. As the illustrations and narratives show on pages 8-12, this can work in many architectural design approaches and diverse styles.***

*(Illustrations by Laurence Qamar)*





<sup>5</sup> Excerpts from testimony on the Design Overlay Zoning Amendments (DOZA project) September 2019. Quote from Mike Steffen, Director of Innovation, Walsh Construction.

# Building Form\*

**DESIGN GUIDELINE:** Divide large building projects into smaller, multiple buildings. When a development is more than 50'-75' in length, it should be designed as multiple buildings to better relate to the district pattern of smaller storefronts.

**PURPOSE:** Ensure the Building Massing does not dominate the public realm.<sup>6</sup> By dividing larger developments to appear as multiple narrower buildings, new development should fit more harmoniously into the scale of older main streets, even if the new buildings are taller than older buildings. The assembly of smaller buildings is ideally differentiated with varied building elements such as materials, windows, balconies, cornices and rooflines, while at the same time being similar enough to each other.



The at bottom left building was designed prior to SMILE's adoption of design guidelines. The sketch-over above illustrates how these new guidelines could have been applied to modestly adjust the design to have a better fit with the main street patterns. This top illustration maintains the same density and relates to smaller lot widths, as well as includes local area features, such as roofline forms, arches, etc. (Drawings by L. Qamar, photo by M. Molinaro)

<sup>6</sup> Source: Adopted design guidelines from Seattle University-District Design Guidelines 2019

# Upper Level Stepbacks\*

**DESIGN GUIDELINE:** Reduce the appearance of scale contrasts between existing, lower-scale buildings and newer, taller structures. When new buildings are four stories or taller, step back the building face at least 5' on the facade of the 4th floor. Alternately, this can be done with sloped roofs and dormers above the 3rd floor.

**PURPOSE:** By stepping the upper floors back, more sunlight can reach the sidewalks and storefronts, and the building heights loom less over pedestrians.



*Examples of upper level stepback alternative approaches (above, below and at left). (Illustrations by L. Qamar) Image at left highlights how the alignment of openings vertically and horizontally can contribute to a harmonious building design. Horizontal cornices, in building top left and bottom right show stepbacks and storefront patterns as well as articulated to rooflines help minimize scale contrasts as well.*



*This building was designed prior to SMILE's adoption of design guidelines. The sketch-over above illustrates how these new guidelines could have been applied to modestly adjust the design to have a better fit with the main street patterns.*



# Chamfered Corners (New + Old)

Newer buildings in the left column demonstrate excellent compatibility, context and character with existing buildings on the right by reflecting main street patterns with chamfered (45 degree angle) corners with entries, articulated rooflines, vertical and arched recessed windows, consistent materials on all sides, as well as patterning in the brickwork, pedestrian-oriented signage and subtle ornament that adds art and interest at the pedestrian scale.



# Facade Composition - Base, Middle, Top\*

**DESIGN GUIDELINES:** Maintain a base, middle and top pattern of buildings consistent with the foundational architecture patterns of Portland. Use cornices to articulate these building layers, especially between the first or second story base, and the mid-section. Cap the building with another distinct cornice at the top floor.


**PURPOSE:** The proportions, scale, and rhythm of the facade elements (windows, doors, balconies, cornices) should be harmonious with neighboring buildings. This is accomplished when they reflect the human scale and proportion of pedestrians in public places.



*This building was designed prior to SMILE's adoption of design guidelines. The sketch-over above illustrates how these new guidelines could have been applied to modestly adjust the design to have a better fit with the main street patterns.*

*The illustrations above show an alternative design approach to those built that would maintain the same density yet relate better to universal, mixed-use main street building patterns. These are not style dependent and contribute to more human scale elements in larger buildings. Note how horizontal banding tricks the eye into helping buildings feel smaller. Further, how the building top left relates to smaller traditional lot patterns by pulling sections forward or back to maintain a common rhythm of small storefronts. (Drawings by L. Qamar)*

# Base-Middle-Top Examples



# Storefront Design\*

**DESIGN GUIDELINES:** Storefront designs in commercial or mixed-use buildings are encouraged to include the following design patterns:

- Raised sills of at least 18"
- Large storefront display windows with divided pane clerestory windows above and at least 4" recessed depth from building face
- Regular rhythm of recessed entries
- Permanent awnings
- Articulated rooflines, often with subtle pattern/detail in the brick or formwork
- Pedestrian-oriented signage
- Building facade lighting (sign band, entry, building address)

**PURPOSE:** Consistent storefront patterns are a common design feature along Portland's streetcar-era main streets and relating to these patterns helps create a better "fit" and greater compatibility with less contrast between new and old.



# Window Patterns\*

**DESIGN GUIDELINES:** Use individual windows that are inset (aka “punched” windows) a minimum of 4 inches. Windows should be organized in vertical rows with groupings of local symmetries and stacked horizontally (see images below) for balance and cost efficiency in construction. Additional window guidelines:

- Bay windows are encouraged to break up large facades and relate to neighborhood patterns. Bays should not break the cornice line.
- Windows should ideally be vertically oriented to reflect human scale proportions. When windows cannot maintain this proportion, they should be designed as multiple smaller panes.
- Avoid losing the human proportion with arbitrary and out-of-scale vertical frames around multiple windows between stories.

**PURPOSE:** Vertical scale windows relate to a more human scale proportion and main street patterns. Adding depth to windows helps maintain a feeling of quality, aligning vertically and horizontally helps create more harmonious facade.



1) Oversize framing outlining multiple windows between floors as shown in the example above reduces human scale proportions and emphasizes scale contrasts; 2) local example of bay windows; 3) “Repetition with variation” is a common window pattern as well as integration of arched windows.





# Treat Blank Walls\*

**DESIGN GUIDELINES:** Especially when a building side wall is likely to remain visible for an extended period of time (e.g., adjacent to an established residence or building), that building elevation should reflect a design treatment of the whole building so as to avoid creating unsightly visual impacts. Additionally, the following strategies are encouraged:

- **Increase side setbacks** to allow windows to break up the large blank expanse
- **Create a lightwell inset**
- **Incorporate art and architectural interest** including details found in nearby structures such as brick patterns, cornices, murals, etc. While faux treatments such as shown in the illustration at bottom left are not encouraged, however artistic murals with Trompe L'oeil (trick of the eye) designs can be a more creative solution.
- **Landscaping** (e.g. Living Walls ,and trees if sufficient space along the side lot setback (if available), and vines of a species not harmful to the long-term life of the building nor problematic for maintenance.

**PURPOSE:** Create a harmonious building design on all sides and avoid creating large blank walls that can become visual blight or a magnet for graffiti.



Bottom 1) Images from left to right: Attempts to minimize the appearance of the blank wall are noted including the continuous cornice and materials. However faux treatments shown above are discouraged. Murals may be a solution when other options are not possible. 2) Missed opportunity to add windows to the new building's side wall given unlikely development and long-term community ownership of the historic Fire Station by SMILE; 3) Encouraged use of light wells; 4) Light well is good but building misses character cues of adjacent architecture

# Signage\*


**DESIGN GUIDELINES:** Sellwood-Moreland has many neon signs and historic marquee signs such as the Moreland Theater building sign (see illustration #4) that projects upwards from the buildings. The following are encouraged:

- Pedestrian oriented signage that is tailored to those at the street level versus auto oriented signage.
- Blade signs, figurative signs, marquees, neon signs
- Additional signage may be used on doors, windows and awnings, but should be scaled to the building
- Avoid plastic internally-lit signage

**PURPOSE:** Maintain a local, unique flavor through well-crafted signage.



Signage in items 1-4 show positive, pedestrian-oriented signage examples, #5 shows new construction with good building design but signage that looks less handcrafted and scaled more to autos.



# Streetscape Amenities\*

**DESIGN GUIDELINES:** New development projects are strongly encouraged to include streetscape amenities such as the following:

- Landscaping
- Art and water features (integrate stormwater when possible)
- Bike racks
- Seating
- Gathering spaces & courtyards
- Alleys & mid-block pass-throughs
- Artful and functional bicycle racks
- Trash, recycling
- Informational kiosks

**PURPOSE:** Encourage opportunities for new amenities that help create district cohesion and streetscape vibrancy for all residents and visitors as Sellwood-Moreland grows.



# Encouraged Main Street Design Patterns

*(See the PDX Main Streets Guidelines for more detail)*

## BUILDING FORM

Bottom, Middle, Top  
Balconies, Bumpouts & Bays  
Corner Treatments, Chamfers + Towers  
Stepdowns + Stepbacks  
Distinct Building Segments  
Rythm of Recessed Entries

## MAIN STREET FACADES

Articulated Rooflines and Cornices  
Clerestory Windows  
Raised Sills  
Large Storefront Windows  
Repeating Pattern of Windows  
Blank Wall Treatments

## PEDESTRIAN AMENITIES

Interactive Art + Water Features  
Facade + Amenity Lighting  
Awnings  
Public Seating  
Pedestrian Passthroughs, Plazas & Courtyards  
Landscaping (Bigger trees for bigger buildings, green walls, planters)





# Appendices

- History
- Creating the Guidelines
- List of Special Buildings<sup>7</sup>



<sup>7</sup>Placeholder list to be updated with final version as available

# History

The neighborhood began as a river town along the Willamette River in 1882 when the Sellwood Real Estate Company purchased 321 acres from Rev. John Sellwood and began to sell residential lots. By 1885, about 500 people lived in the Sellwood area and the City of Sellwood was incorporated in early 1887. The main travel route, Milwaukie Road (Milwaukie Avenue), had been laid out by Benjamin Stark and William Pettygrove in the mid-1840's, connecting Sellwood with Milwaukie to the south and City of Portland to the north. In 1892 the nation's first electric, interurban streetcar carrying passengers was developed between Portland and Oregon City, and Sellwood was a main link along that route. The car barn at the southern edge of the neighborhood was a major component of the system operated out of Sellwood. The interurban train system opened in 1905, carrying passengers and some freight, its alignment now being the Springwater Corridor. It split at "Golf Junction" (end of SE 13th Avenue), with one branch going to Milwaukie-Oregon City and the other to Gresham and Estacada.

The edges of the Sellwood-Moreland neighborhood are distinct in their strongly identifiable boundary with the natural edges of the river and parks along the west, and the transportation corridors of the state highway and railways to the east. A further benefit of these distinct neighborhood edges is that the neighborhood has limited and distinct entry points, or "gateways," such as the Sellwood Bridge, first constructed in 1925. On the west side of the neighborhood, the bridge crosses the Willamette River and becomes SE Tacoma Street, continuing east to bridge over Highway 99E. This east gateway is served by light rail at the SE Tacoma/Jonson Creek MAX station. The neighborhood has a second eastside gateway with the Bybee Bridge from the Eastmoreland neighborhood over Highway 99E; this area is served by light rail with the SE Bybee MAX station. The north and south gateways are on SE Milwaukie Avenue. From the north, SE Milwaukie Avenue enters from the Brooklyn Neighborhood, intersects with SE Bybee Boulevard and SE Tacoma Street, and continues south to link to the City of Milwaukie.

The further result of these distinct and relatively limited gateways is that the neighborhood has the historic main streets that both link all these gateways and lead to the center of the community. As noted architect and urbanist Leon Krier said, **"A good neighborhood edge is a luxury, but a good neighborhood center is a necessity."** Sellwood-Moreland is blessed with both great edges and centers.

*Illustrations: Looking S. on 13th at Tacoma Street, circa 1940s.; Sellwood Streetcar, \_\_\_\_\_, 13th and Spokane*



# Creating the Guidelines

The process to customize a PDX Main Streets Design Guidelines Supplement for Sellwood-Moreland included contracting with design consultants Laurence Qamar Architecture and Town Planning and Forage Design + Planning, and working in partnership with PDX Main Streets, SMILE, Sellwood-Moreland Business Alliance (SMBA), and the community at large.

These guidelines are informed by policy precedents and technical experts, community surveys and approximately 150 participants at community workshops and events, more than 80 vision surveys received at local tabling, as well as more than 60 event registration surveys on goals and concerns. Over the course of nine months, the project team and consultants did extensive outreach to gather community input and involvement. This work included hosting several large community workshops and a community design walking tour, conducting surveys on design priorities and community goals, and identifying historic resources and opportunity sites. Consultants created maps for walking tours, project handouts to highlight key questions, and presentations to help identify key design patterns and qualities of the area. PDX Main Streets collaborators did extensive photo documentation, donated technical illustrations, and created large presentation boards which were shared at workshops, tabling at farmers markets, and in online and print handouts.

Events were advertised on a project website, through social media and Next Door postings, via posters printed and displayed at local businesses, and through email notice lists from SMILE, SMBA, and PDX Main Streets. Events were well attended with opportunities to learn about the process, give input and weigh-in on design preferences. Survey results (gathered at meetings, tabling at the local grocery store and farmers markets over several months) highlighted common vision elements and a priority to maintain main street patterns and a unique Sellwood-Moreland identity.

## KEY QUESTIONS

- What is your Vision for how growth happens in Sellwood Moreland?
- What are the buildings and places that are important?
- What should change and what should remain?
- What are local goals and priorities that might be achieved by early goal setting proactively before development happens?
- What is the current character and identity?



- What are goals and design priorities? How can these main streets evolve to retain local identity and desired character?



# Special Buildings in Sellwood-Moreland (Placeholder)

Building Name	Address	Year Built	Style	Description	Natl Register
<b>Papa Haydn's</b>	5829 SE Milwaukie Avenue	1926	Streetcar-era commercial	Two-story store (Sanborn, 1952), Built on site of "Midway Hose House" (Sanborn, 1909, 1925, and 1952) Classic dwelling over store design with recessed entries and raised sills on the display windows. The smooth stucco is later finish likely over horizontal wood siding.	
<b>U-Brew Building</b>	6221-6237 SE Milwaukie Avenue	1927	Streetcar-era commercial/ Mediterranean	One-story reinforced concrete storerooms (Sanborn, 1952) Angled corner and triangular wall expression over the main door highlight the entrance. Possible remodeling removed a display window where the sign is today. Tiled parapet and roof all indicative of Mediterranean style.	
<b>Moreland Hardware</b>	6505 SE Milwaukie Avenue	1947	Streamline Moderne	One-story reinforced concrete (Sanborn, 1952) Example of higher speed automobile travel and attempt to bring attention to store using highly stylized typography and use of neon. Large display windows for product displays.	
<b>Relish Gastropub</b>	6637 SE Milwaukie Avenue	1929	Mediterranean	Two-story undertaker's (Sanborn, 1952) Clay tile roof, and projecting portico with arched side openings and arched reliefs above the double hung windows are typical expressions of the influence of the Mediterranean style.	
<b>The Moreland Theatre Building</b>	6674, 6712 SE Milwaukie Avenue	1925	Streetcar-era commercial	One-story reinforced concrete storeroom (Sanborn, 1952) Typical streetcar ere commercial with recessed entries, raised windowsills and signage bands over the storefronts.	
<b>Sellwood Masonic Lodge</b>	7126 SE Milwaukie Avenue	1930	Twentieth-Century Classical Revival	Two-story brick-faced Masonic Temple (Sanborn, 1952); New concrete 2-story hall (Portland Maps, 1929) Designed by Francis Marion Stokes whose buildings can be found across Portland. The Ancient Free and Accepted Masons, Sellwood Lodge #131 is of Moorish design with arched entryways and windows, fluted columns and decorative brickwork. One of Portland's treasures.	
<b>SE Milwaukie and Bybee Shops</b>	1661-1667 SE Bybee Boulevard	1929	Streetcar-era commercial	One-story brick-faced storerooms (Sanborn, 1952) Original limestone or terra-cotta decorative medallions and corner accents and capitals adorn what could have been an ordinary commercial building. High transom windows bring light into the deep floor plate. Numerous storefront remodeling and mis-matched brick detract from this classic commercial expression.	
<b>Sellwood Community House</b>	1436 SE Spokane Avenue	1911	American Basic	Three-story frame construction with simple horizontal siding, small windows, and flat roof speak to the utilitarian nature of construction.	*National Register Landmark
<b>Oaks Pioneer Church</b>	455 SE Spokane Street		Rural Vernacular	Classic western gothic expression with peaked arched windows and decorative mullions in the large, tall double hung windows. Oaks Pioneer Church is the oldest church intact church in Oregon and is listed on the National Register. Post and beam construction.	*National Register Landmark
<b>OF+C Railroad Ticket Office</b>	8825 SE 11th Avenue	1910-1911	Brick Utilitarian	Two-story brick utilitarian but with a few flourishes such as the somewhat Italianate parapet and tall double hung windows.	*National Register Landmark
<b>Sellwood Theatre</b>	8050 SE 13th Avenue	1922	Streetcar-era commercial	Two-story concrete theatre (Portland Maps, 1922). Brick with arches, base-middle-top design with floral decorations, arches along the base.	

# Special Buildings in Sellwood-Moreland (Placeholder)

Building Name	Address	Year Built	Style	Description	Natl Register
<b>Griessen Building/Gino's</b>	8051-57 SE 13th Avenue	1910	Streetcar-era commercial	2-story reinforced concrete storerooms (Sanborn, 1925) Utilizing rusticated concrete blocks to resemble limestone, this is an artfully constructed streetcar era commercial building. Mortar joints of projecting rope design, limestone lintels and decorative banding all demonstrate good construction. Rebuilt parapet, chamfered corner entry, raised sills, storefront windows, and base-middle-top design.	
<b>Onpoint Credit Union/"New" Bank of Sellwood Building</b>	8075-8083 SE 13th Avenue	1912	Streetcar-era commercial	2-story store rooms (Sanborn, 1925) Evidence of Italianate influences with bracketed cornice and tall first floor windows. The painted brick treatment conceals decorative brickwork. The original "Sellwood 1912" sign can be faintly seen on the parapet.	
<b>Bars/Antique Shops</b>	8128 SE 13th Avenue	1911	Wood, post-and-beam utilitarian construction	This purely functional 2-story building has undergone many unfortunate remodeling from the brick storefronts to aluminum sided upper level. More than likely, original wood siding.	
<b>American at Heart</b>	8203-09 SE 13th Avenue	1911	Streetcar-era commercial	2-story brick (Portland Maps, 1911) An excellent example of quality construction and attention to detail from the dental course band at the parapet to the horizontal shadow effect from simply recessing one layer of bricks, this building has withstood parapet replacement and mismatched storefront treatments.	
<b>SMILE Station</b>	8210 SE 13th Avenue	1926	Tudor	Tudor style peaked roof building, originally a firehouse, Station 20. In 1959, the building became a clubhouse for the Boys and Girls Club. Ultimately, the Sellwood-Moreland Improvement League (SMILE) purchased the building from the city and renovated it for neighborhood use.	
<b>Bank of Sellwood (Old)</b>	8301-09 SE 13th Avenue	1907	Streetcar-era commercial	Two-story brick mixed use commercial building with chamfered corner and base-middle-top pattern. Articulated roofline, ornate pediments, corner entry, vertical inset windows in paired groupings with minor arched windows and low-relief brick detailing.	
<b>Old Sellwood Square</b>	8235 SE 13th	1902	Western Storefront	Simple one-story wooden storefront commercial buildings in a courtyard arrangement with a simple tower feature at the end of the courtyard, flanked on one side by a peaked roof facade and on the other by a false front classic western storefront. Streetcar era storefronts along with recessed entries, raised sills, large display windows and clerestory divided pane windows above.	
<b>Wilhelm's Portland Memorial</b>	6705 SE 14th Avenue	1902	Mediterranean/Spanish Colonial Revival	One and two-story Spanish Mediterranean funeral home and mausoleum with red tile roofs, column flanked entries, tower feature, and many arched windows.	
<b>Columbia Sportswear / Old Theater</b>	1322 SE Tacoma Street	1938	Art Deco	Art Deco theater with white stucco facade and decorative elements. Typical storefront patterns with recessed entries, raised sills, large storefront display windows. Cornices cap the building. Rear section behind facade is taller than front and has additional decorative elements. Marquee and decorated framework remains but is overshadowed with auto-oriented modern signage obscures clerestory windows.	
<b>New Seasons Market</b>	1214 SE Tacoma Street	1940	Art Deco	Simple one-story commercial storefront building with articulated roofline, and simple art deco detailing above remodeled storefront.	

# Special Buildings in Sellwood-Moreland (Placeholder)

Building Name	Address	Year Built	Style	Description	Natl Register
<b>Old Sellwood Square</b>	8235 SE 13th	1902	Western Storefront	Simple one-story wooden storefront commercial buildings in a courtyard arrangement with a simple tower feature at the end of the courtyard, flanked on one side by a peaked roof facade and on the other by a false front classic western storefront. Streetcar era storefronts along with recessed entries, raised sills, large display windows and clearstory divided pane windows above.	
	8011-8017 SE 13th Avenue	1926	Streetcar-era Commercial	Brick one story commercial with classic storefront pattern of raised sills, recessed entries, storefront windows and clearstory windows above. Small decorative panels as ornamentation in the brickwork.	
<b>Stuart Morris Building &amp; Old Meat Market</b>	8127 13th Avenue	1906		Four storefront building with second story above three storefronts. One story storefront has traditional Victorian dentils and cornice work. Second story area has remodeled roof line without decoration. Awnings and wood detailing added in recent past over storefront doors. Very large surface area of painted gray vertical wood pattern. Two small windows on second floor. Culturally important, not necessarily architecturally significant.	
<b>Grand Central Bakery</b>	7987 SE 13th Avenue	1905	Western Storefront Commercial	Beautifully restored western storefront that has 1.5 stories. Small central gable feature houses one window above inset storefront area. Inset storefront is lit by replica Victorian era utility lights. Caboose in back and landscaping creates a picnic area on right side of building. horizontal narrow wood boards with brightly painted red trim.	
<b>Acena &amp; Sunny's Pizza</b>	7730-7742 SE 13th Avenue	1927	Streetcar-era Commercial/Mediterranean	7730 is one story Mediterranean stucco storefront with painted brick base with subtle but very unique original floral decorative theme. Window of storefront also unique with wide surround and 6 transom windows above two larger windows. Storefront door is French door. 7742 is a one-story brick, neo-Mediterranean painted brick building with inset floral and classic decoration. Building has chamfered entry corner with inset, covered door area. Other entry has inset bay entry. One storefront is currently covered by wood panels.	
	7712-7718 SE 13th Avenue	2000		two, one story storefronts with central entry doors with modern flat awnings above. Clerestory (transom) windows above entry doors and windows give this building a historic feel. Painted dryvit (fake stucco) material and blue tiles below windows.	
	7923 SE 13th Avenue	1926		Small but vibrant one-story storefront building with recessed entry bay that is made of continuous glass that connects with front windows of storefront. transom windows span the entire width of the building above the entry and front windows. A small Hollywood or Parisian style circular awning sits over the door. The building is painted a bright orange/pink	
	7952-7960 SE 13th Avenue	1922		A remodeled three storefront one-story building with horizontal siding. simple trim, and thick woodwork surrounding openings and doors. Inset bay entries for each of the three stores. Small transom windows above door areas and windows. Modern pedestrian- scaled metal signage and lighting fixtures.	

# Special Buildings in Sellwood-Moreland (Placeholder)

Building Name	Address	Year Built	Style	Description	Natl Register
<b>Sellwood Cycle Repair</b>	7953 SE 13th Avenue	1910	Streetcar-era Commercial	ADD DESCRIPTION	
<b>Buildings next to the Bicycle Shop</b>	Milwaulkie & 13th Avenue		Streetcar-era Commercial	ADD DESCRIPTION	
	8027-8029 SE 13th Avenue	1927		One story building with two storefronts. Simple yet elegantly shaped design using stucco and full facade vintage awning. Stucco exterior.	
<b>Master Mechanic</b>	8036 SE 17th Avenue	1911	Streetcar-era Industrial/Commercial Utilitarian	One story, ornate brick, historic industrial building that has been painted white. Deep inset windows with curved tops and colonial style windows. Very classic and stately building.	
	8003-8005 SE 17th	1921	Streetcar-era Commercial		
	8302 SE 13th Avenue	1907		ADD DESCRIPTION	
	8333-8339 SE 13th Avenue	1910		ADD DESCRIPTION	
	8324-8334 SE 17th	1929		ADD DESCRIPTION	
	8707 SE 17 <sup>th</sup> Avenue	1968		ADD DESCRIPTION	
	8301 SE 17 <sup>th</sup> Avenue	1907		ADD DESCRIPTION	
	8145 SE 17 <sup>th</sup> Avenue	1960		ADD DESCRIPTION	
<b>Moreland Ale House</b>	7981 SE 17 <sup>th</sup> Avenue	1929		ADD DESCRIPTION	
	8021-8031 SE 17 <sup>th</sup> Avenue	1926		ADD DESCRIPTION	
<b>Berti Lou's Cafe</b>	8051 SE 17 <sup>th</sup> Avenue			ADD DESCRIPTION	
<b>Sellwood Inn</b>	8306 SE 17 <sup>th</sup> Avenue			ADD DESCRIPTION	
	8335-8337 SE 17 <sup>th</sup> Avenue		Storefront Commercial	ADD DESCRIPTION	
	8401-8405 SE 17 <sup>th</sup> Avenue		Western Storefront	ADD DESCRIPTION	
<b>Oaks Park Dance Pavilion</b>	7805 SE Oaks Park Way	1905	Queen Anne Vernacular		*National Register Landmark

# Sellwood-Moreland Main Street Design Guidelines

A SUPPLEMENT TO THE PDX MAIN STREETS DESIGN GUIDELINES



FEBRUARY 2020 DRAFT